

# Facilitating Team Awareness Through Ambient Displays

**Sarah Morrison-Smith**  
Barnard College  
New York, USA  
smorriso@barnard.edu

**Lydia B. Chilton**  
Columbia University  
New York, USA  
chilton@cs.columbia.edu

**Jaime Ruiz**  
University of Florida  
Gainesville, USA  
jaime.ruiz@ufl.edu

## ABSTRACT

Due to the COVID-19 pandemic, research is increasingly conducted remotely without the benefit of informal interactions that help maintain awareness of each collaborator’s work progress. We developed AmbiTeam, an ambient display that shows activity related to the files of a team project, to help collaborations preserve a sense of the team’s involvement while working remotely. We found that using AmbiTeam did have a quantifiable effect on researchers’ perceptions of their collaborators’ project prioritization. We also found that the use of the system motivated researchers to work on their collaborative projects. This effect is known as “the motivational presences of others,” one of the key challenges that make distance work difficult. We discuss how ambient displays can support remote collaborative work by recreating the motivational presence of others.

## Author Keywords

Collaboration; remote work; awareness; ambient display

## CCS Concepts

•Human-centered computing → Empirical studies in HCI;

## INTRODUCTION

With the advent of the COVID-19 pandemic, research is increasingly conducted remotely without the affordances of informal interactions that enhance fluidity and interactivity in teams. Remote collaboration has always faced numerous challenges, such as decreased awareness of colleagues and their context [31] and limited motivational sense of the presence of others [31]. Awareness of one’s collaborators is necessary for ensuring that each teammate’s contributions are compatible with the collaboration’s collective activity [12]. It also plays an essential role in determining whether an individual’s actions mesh with the group’s goals and progress [12]. The motivational sense of the presence of others complements awareness by producing “social facilitation” effects, like driving people to work more when they are not alone [31].

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

CHI’20, April 25–30, 2020, Honolulu, HI, USA

© 2020 Copyright held by the owner/author(s). Publication rights licensed to ACM. ISBN 978-1-4503-6708-0/20/04...\$15.00

DOI: <https://doi.org/10.1145/3313831.XXXXXX>




Figure 1: Example visualization of a team’s work-related activity which was featured on a tablet with an ambient display in each of our user’s workplaces. The visualization shows activity from five fictional teammates using randomly generated data. Each member of the team has their own area graph where each point represents the activity for that day.

Similarly, a researcher’s perception of their collaborator’s effort in a project can profoundly impact collaboration [9]. In particular, researchers tend to feel anxious about the success of their collaboration when they are concerned that competing priorities result in less commitment to the project [9]. The shift to remote work likely exacerbates this challenge since remote researchers lack the awareness of their collaborators’ activities.

Together, these challenges pose a significant challenge to collaboration. It is essential that we address these challenges, given that the efficacy of science significantly improves when researchers from diverse backgrounds collaborate on a project [8]. We hypothesize that since a heightened awareness of a collaborator’s research activities might reveal project prioritization, improved awareness could lessen the anxiety caused by uncertainty regarding a collaborator’s investment. While various existing systems improve awareness in remote teams [5, 6, 16, 17, 24, 26, 32], no solution exists that solves the challenge of perceived prioritization.

To this end, we developed a system, AmbiTeam (shown in Figure 1) to improve a researcher’s awareness of their collaborator’s project-related activity. The system tracks and visualizes file changes in user-specified project directories to indicate how much effort or work a collaborator has put in on the project. We performed a user evaluation of the system with ten researchers in co-located and remote collaborations to investigate the effect of ambiently providing project-related

activity information on a researcher's work behavior and perception of effort. We found that AmbiTeam had some impact on a researcher's motivation to work on the project as well as perceptions of their collaborators' effort. The key contributions of this paper are:

- Increased understanding of how to facilitate team awareness
- A deeper understanding of the motivating effect of awareness on work behavior
- New insights into the impact of increased awareness on perceptions of remote collaborators' effort

## PRIOR WORK

We examine studies on awareness-based systems for supporting collaboration as well as existing solutions for unobtrusively providing information via ambient displays.

### Awareness-Based Systems

Several technologies were developed to help remote workers become aware of their collaborator's research activities. For example, tools that inform members of remote teams about the timing of each other's activities and contributions have been shown to affect team coordination and learning [6]. Furthermore, systems that provide real-time, often visual, feedback about team behavior can mitigate "process-loss" (e.g., effort) in teams [17]. Some early technology (e.g., [5, 16, 26]) featured permanently open audiovisual connections between locations, with the idea that providing unrestricted face-to-face communication would enable collaborative work as if the researchers were in the same room.

Recently, Glikson et al. [17] created a tool that visualizes effort, which is determined by measuring the number of keystrokes that members of a collaboration make in a task collaboration space. They found that this tool improved both team effort and performance [17]. A number of modern systems have been developed that typically focus on notifications to provide awareness [25] which are generally considered disruptive [2]. Given the importance of reducing "dramatic changes in work habits" [30], it is likely that an effective system needs to be as unobtrusive as possible.

### Ambient Displays

In contrast to the methods employed by existing awareness systems, ambient displays are information sources designed to communicate contextual or background information in the periphery of the user's awareness and only require the user's attention when it is appropriate or desired [18]. Methods for conveying information via ambient displays include the use of light levels [10, 21], wind [27], temperature [37], music [3], and art [18]. For example, one of the earliest ambient systems, "ambientRoom", used visual displays of water ripples to convey information about the activities of a laboratory hamster and light patches to indicate the amount of human movement in an atrium [21]. Ambient displays are not limited to immersive environments and can also take the form of standalone media displays that allow multiple people to simultaneously receive information [10]. Applications of ambient displays include educating users about resource (e.g., water

[22, 24] and power [19]) consumption, improving driving [11, 33], monitoring finances [34], and assisting time management during meetings [29].

Some ambient systems have been developed to support collaboration by tackling the issues of determining availability [1, 7]. One system, "Nimio," used a series of physical toys to indicate the presence and availability of collaborators in separate offices [7]. Toys in one office would cause associated toys in other offices to light up with colored lights when they detected sound and movement, indicating that a collaborator was in their office and communicating whether the collaborator appeared to be busy. Alavi and Dillenbourg [1] placed colored light boxes on tables in a student space that allowed students to indicate their presence, availability, and the coursework they were currently working on so that any given student could be aware of other students with whom they could collaborate.

Streng et al. [35] used ambient displays to convey information about the quality of collaboration between students working on a group task. In this paper, collaboration performance was measured by evaluating student adherence to a collaboration script that specified different phases and tasks to be carried out by individual team members. Performance information was communicated to the student participants either via a diagram featuring charts and numbers or an ambient art display showing a nature scene featuring trees, the sun or moon, and sometimes clouds and rain.

### Research Questions and Study Goals

We hypothesize that promoting awareness by providing up-to-date information about a collaborator's project activities will affect a researcher's perception of their collaborator's effort. To avoid dramatically changing work habits, we pursue an ambient-based approach where information is conveyed without requiring the attention of the user. In pursuit of these goals, we sought to answer the following questions:

**RQ1.** Can tracking file activity give teammates a sense of their teammates' efforts?

**RQ2.** Will ambient information about team project activities affect perceptions of collaborators' effort?

**RQ3.** What effects will the provision of team project activity information have on work behavior?

## SYSTEM DESIGN

### Privacy and Scope

Project effort is difficult to characterize as it includes activities that are impossible to track (e.g. thinking about a project) or are potentially sensitive (e.g. emails, phone calls). In order to respect the privacy of users, we avoid monitoring activities such as phone calls and emails and instead focus on the activity of files in user-specified project directories. This allows AmbiTeam to observe project activities related to the various stages of the research life-cycle identified by prior work [28]. For example, during experimentation, the system will be able to detect changes in electronic lab notebooks and cheat sheets used by researchers [28] as well as data. AmbiTeam will also observe data analysis by tracking changes

in analysis code or scripts (also discussed in [28]) as well as generated output. Furthermore, the system will be able to monitor publication preparation by detecting changes in writing-related materials.

### Activity Tracking

Activity is detected using a desktop application that monitors specified directories for file creation, deletion, and change events. AmbiTeam first prompts the user to select a directory to be watched, and on the back end, monitors the meta-data of the directory’s files without viewing the file’s contents. Once a file or directory in the watched directory is created, deleted, or changed, the user’s ID and the time of the file event is encrypted and sent to a server.

### Displaying Activity

The number of activities occurring each day for each user is visualized in the form of a point on an area graph. An area graph for each collaborator is displayed on a tablet, showing each day’s cumulative activity in real time. The height of the graph on each day indicates the total amount of activity at that time and the area of the graph shows the total amount of activity over the course of a two week window. Activity is normalized across the team to facilitate comparisons between team members. An example is shown in Figure 1.

## METHOD

### Participants

To determine whether AmbiTeam facilitates team awareness, we recruited 10 scientists who are part of four existing collaborations across four institutions in the United States aged 21 to 33 ( $\mu = 27.3$ ,  $\sigma = 3.5$ , three females). Each of the collaborations is labeled A-D. The research area, title, and group of each participant is presented in Table 1. Participants were recruited inter-departmental email and our methodology was approved by our institutional review board. The configuration of the teams participating in this study ranged from fully remote (team A) to fully co-located (teams C and D). Team B had a mixed composition where participants B2 and B3 were co-located while B1 and B4 were each at different locations. All co-located teams worked in the same offices as their collaborators and reported working closely together.

Table 1: Participant backgrounds.

ID	Research Area	Title
A1	Biological Anthropology	Post-Doc
A2	Vertebrate Paleontology	Ph.D. Student
B1	Computer Vision and Machine Learning	Master’s Student
B2	Computational Linguistics	Post-Doc
B3	Computer Vision and Human-Computer Interaction	Master’s Student
B4	Human-Computer Interaction	Ph.D. Student
C1	CyberSecurity	Ph.D. Student
C2	CyberSecurity	Ph.D. Student
D1	CyberSecurity	Ph.D. Student
D2	CyberSecurity	Ph.D. Student

Our participants sought to answer a variety of scientific questions, which can be broadly summarized as:

- **Understanding Faunal Change:** identifying what happens to animals during the major climate events called the paleocene-eocene thermal maximum. (Team A).
- **Enable Communicative Mechanisms Between Humans and Computers:** bringing together human’s natural language capability and computers’ data processing capability to allow peer-to-peer collaboration between humans and computers. (Team B).
- **Personalized Computer Security:** using personal information to accomplish security tasks like authentication and malware detection. This includes extracting nuanced personal information, such as vocal characteristics, from easily obtained information, such as pictures of people’s faces. (Teams C & D).

### Procedure

Participants were each given a tablet with AmbiTeam’s display, had the activity monitor installed on their work computers, and were instructed on how both the activity monitor and the visualization worked. Participants then completed a pre-test where they estimated the amount of effort that each participating researcher is putting into the project, including themselves, on a scale from 1 to 9 with 1 being “very low” and 9 being “very high.” Participants were also asked to explain the reasoning behind their rankings. Over the course of four weeks, on two randomly chosen days a week, participants were asked to repeat this assessment via email. During this time, AmbiTeam’s visualization was turned off in order to prevent participants from consulting the visualization, since the goal was to determine whether the system’s use affected their perception, not whether they could read the chart. To minimize visualization downtime, participants were given up to 24 hours to respond with their assessment.

At the end of the study, we conducted semi-structured interviews with the participants. By using the semi-structured interview technique, we were able to cover additional topics as they were encountered, reducing the likelihood that important issues were overlooked [23]. When possible, interviews took place at each of the participant’s primary workspaces (offices or labs). Participants located at remote locations participated in the interviews over Zoom [20]. Interviews were approximately 30 minutes in duration and were recorded in audio format, then transcribed.

Participants were first asked to educate us about the collaborative research that they participated in during the study including their roles on the project(s) and the goal(s) of the research. We then asked participants to discuss their experiences using AmbiTeam as well as any changes they would propose and their likelihood of using the system in the future.

### Qualitative Data Analysis

We performed a bottom-up analysis of participants’ responses by constructing an affinity diagram [4] to expose prevailing themes in their perceptions of AmbiTeam.




Figure 2: AmbiTeam’s components shown in A1’s workspace. The visualization was placed in a different location during the study.

## RESULTS

Our participant’s responses to interview questions and bi-weekly assessments provided insight into their experiences regarding AmbiTeam.

### Interactions with the System

Most participants reported briefly looking at the visualization multiple times a day, often because the visualization was placed within their general field of view (although care was taken to ensure that the visualization did not obstruct the view of the participant’s workstation). However, participants did not intentionally check the visualization for updates, indicating that the information generally stayed in the background.

*“It wasn’t like I checked it intentionally several times a day. It was more of that I leaned back in the chair to think about something and while looking at other things in my desk. I would see it.” C1*

The information gleaned from the visualization was typically combined with information gathered during communications with collaborators. This information included knowledge about circumstances (e.g., job interviews, other papers and projects), project deadlines and updates, and each researcher’s role in the project. In some instances the fact that collaborators were communicating at all was enough of an indication that those researchers were prioritizing the project. Participant B3, however, based their ratings solely on their communications with their collaborators because they did not trust AmbiTeam.

*“I couldn’t place enough trust in the system yet to factor in positively or negatively into my perception of prioritization.” B3*

Most participants explicitly stated that using the system did not interrupt their workflow. This was partly due to the placement of the visualization within the user’s workspace. Furthermore, the file tracking software was passive in nature such that once the user had selected their directories, no further action was needed. Participant C1 also remarked that the passive nature of the data collection resulted in more information than their usual workflow, because their usual workflow (GIT) relies on user to push information.

### Determining Engagement

To determine whether tracking file activity can give teammates a sense of their teammates efforts (RQ1), we asked open-ended questions during each bi-weekly assessment and conducted a follow-up interview at the end of the study. We found that participants felt that AmbiTeam’s monitoring method gave a measure of user engagement.

*“Tracking over time as you change it, it’s simple so it does give you a measure of whether or not the person is engaged. Or not engaged. So I think it’s a good measurement of that” C1*

However, participants reported several activities that were not tracked by the system that were integral to their work. In general, these activities were related to collaboration, idea development, and management. Some of the suggested activities are likely fairly easy to take into account, such as tracking the number of files in a directory (e.g., a library of literature for a project), the size of files (e.g., as figures get made, manuscript and code gets written), written meeting minutes, and the number of times a program is run. Others could be tracked by the existing software if the users change their behavior, such as making handwritten notes in a digital notebook as opposed to on physical pieces of paper.

However, many of the suggested activities (e.g., tracking emails, phone calls, internet searches, time spent on the top window of a computer) are difficult to take into account without invading privacy. Several participants stated that they wouldn’t want personal data to be tracked unless it’s somehow necessary for the team. Even then, participants requested caution when setting up AmbiTeam in order to prevent project-sensitive data from being tracked. For example, during the set up of group D, participants deliberately chose directories that contained metadata and statistics about the participants in their studies but did not contain identifiable data.

Finally, participants believed that for optimal use, the files and activities chosen for monitoring depend on the context of the user’s work. They suggested that some metrics would be more suited to some roles than others. For example, since B4 was running user studies, the length of their files represents the amount of data collected and is more indicative of work than the number of files, which merely reflects the number of participants. Certain file types, such as those automatically created by ArcGIS [15] (a Geographic Information System Mapping Technology used by A1) and TensorFlow [36] models (a tool for building machine learning models used by B1) are automatically generated in bulk and don’t necessarily indicate massive amounts of effort.

### Perceptions of Effort

Next, we wanted to know if AmbiTeam affected researchers’ perceptions of their collaborators’ effort on a project (RQ2). To do this we run test whether there is a correlation between the average activity levels of their collaboration (as measured by our system) and the researchers’ *perception* of how much effort their collaborator was putting in. we performed a Pearson’s product-moment correlation test on participant’s average displayed activity (*activity*) and the change in personal rat-

ings (*personal ratings*). We found no correlation ( $r = 0.09$ ,  $p > 0.05$ ) between *personal ratings* and *activity*. We also performed a Pearson's product-moment correlation test on *activity* and the change in ratings assigned to them by their collaborators (*collaborator ratings*). We found a weak positive correlation ( $r = 0.22$ ,  $p = 0.011$ ) between *collaborator ratings* and the *activity*—as each participant's apparent activity increased, their collaborator's ratings of them increased. In summary, using AmbiTeam generally did not affect user's reported perception of their own effort. However, it did affect the user's perceptions of their collaborator's effort.

### User Behaviors

To answer what affects the provision of team project activity information had on work behavior (RQ3), we asked open-ended questions during each bi-weekly assessment and conducted a follow-up interview at the end of the study. We found that on the whole, participants did not believe that using the system changed their collaborators' behaviors. However, many reported changing their own behaviors. In some cases, participants changed the way that their work was conducted to boost visibility and ensure that their collaborators knew that they were involved. For example, participant A2 described a time when they were creating a wiki for their project online. However, since AmbiTeam was unable to track the changes made to their online wiki, A2 wrote much of the text for the wiki on a text editor that saved changes to a file tracked by the system before uploading the text to the wiki. This ensured that their efforts to update the wiki appeared on the visualization. In addition to this, several participants mentioned saving their files more frequently so that their changes would register as activity and appear on the visualization.

Many participants reported that AmbiTeam made them feel more motivated to work on their projects. Sometimes this was due to participants noticing a lull in their own activity, which reminded them to work on the project. Motivation was also often attributed to seeing their collaborator's activity.

*"Having a view of other people are working hard and then you don't want to be the last one. It's like a challenge."*  
D2

Participant A2 noted that the system as had a positive impact due to its effect on motivation and a desire to work effectively.

*"Positive, because it helped motivate me to make the project a priority even though it's not the most fun thing to work on."* A2

### Future Directions and Applications

All participants stated that they would be willing to use AmbiTeam, or a refined version of AmbiTeam, in the future for either professional or casual use. Several participants mentioned a desire to use the system in research collaborations to keep abreast of what their collaborators were up to. For example, participant C1 mentioned using the prior day's activity *"I could glance at as sort of like a morning statistics for yesterday."* Another use of the system would be for a project manager to balance the workload across researchers on a project, as described by participant B3 *"I probably would want to use it just*

*to see how much work my each of my teammates is doing so that the load is balanced out evenly."*

Other participants reported that they would use AmbiTeam in a classroom setting both as a student working with group-mates that they don't know well or didn't pick and as professors managing class groups.

*"I've had problems in the past ... in classwork where ... they didn't do anything until the last week and even then in the last week, you know. I may have built the vast majority of it. They still get the same amount of credit."*  
C1.

Several participants also stated that they would use AmbiTeam for personal use. Participant A1 described not being interested in worrying about their collaborator's productivity, but was interested in using the system to take a *"long term perspective"* and revisit their own project-related activity. The goal would be to have a better understanding of the work that they had done in the past. In a similar vein, participant B2, a self-proclaimed *"data junky"* expressed an interest in using AmbiTeam to gain a deeper insight into their workflow. A1 also disclosed a belief that AmbiTeam could be useful for recent Ph.D. graduates who have transitioned from working solely on their dissertation to managing multiple projects and needing to have a better grasp of their priorities. Finally, A2 expressed an interest in using the system with a friend to stay motivated to work.

*"In the same way that it's better to go to the gym with a friend because it motivates you because even on that one day when you really don't feel like going they'll go and then they'll help you get over that hump."* A2

Participants also expressed a desire to extend AmbiTeam to support additional tasks. For example, participants conveyed an interest in integrating AmbiTeam with task management systems, allowing users to connect the activity shown on the visualization with specific tasks and goals. Participant C2 also suggested incorporating a messaging system that would allow a user to contact a collaborator when they notice a lull in activity.

*"[If] I made some changes that we needed to discuss that I could just look look at my collaborator and just tap ... saying hey, there's something that needs to be discussed."*  
C2

## DISCUSSION

### Motivational presence of others

Many of the participants reported feeling more motivated and productive while using AmbiTeam. These feelings can likely be attributed to the motivational presence of others [31]. Our participants' responses indicated they were aware of being watched by their teammates and that this awareness changed their behavior, as described by B1:

*"Because I know we are being tracked, I want to make use of time to work efficiently."* B1



Researchers often use the presence of specific teammates in a shared space to guide their work [14]. Similarly, our participants also reported feeling motivated by seeing their collaborators work on the project, as stated by C2:

*“Every single time that happened I was like, oh he’s working, I should probably work on it too.” C2*

Unfortunately, these effects often dissipate once the participant is no longer under observation or has a sense of the presence of their collaborators. Depending on the scientific questions that they seek to answer, researchers may spend time away from their desks where AmbiTeam is set up to perform field-work. More investigation is necessary to determine whether the increased motivation facilitated by the system is sustained when researchers are unable to access AmbiTeam.

### **Remote vs. Co-located Projects**

Given the difficulties that researchers have maintaining awareness of their collaborators’ work progress at remote locations without the ability to casually “look over their shoulder” [31], we expected that AmbiTeam would have a smaller effect on co-located participants’ perceptions of their collaborators. In fact, participants from the co-located teams reported having an easier time determining their co-located collaborators’ effort and reported having a smaller effect on their perception of their collaborator’s priorities.

However, we found that the system sometimes provided similar benefits to co-located participants as it did to remote participants. One co-located participant (C1) indicated that using AmbiTeam provided more information about their collaborator’s effort than they got from their frequent communications with their collaborator - despite sitting next to each other. In this case, the information provided by AmbiTeam caused this co-located participant to change their expectations to take their collaborator’s conflicting priorities into account. It’s important to note that neither participant on Team C reported experiencing any negative effects from AmbiTeam’s use. This finding indicates that AmbiTeam can be an effective tool in providing insight about collaborator’s effort even in co-located projects.

### **Privacy vs. Accurate Activity Tracking**

During the post-study interviews, participants mentioned several activities that are part of their workflow that were not tracked by AmbiTeam during the study. However, tracking several of these activities would involve significant privacy violations, namely tracking in-person conversations, emails, and internet browsing history. This leads to the question of how to balance accurate activity tracking with maintaining user’s privacy. It is possible that tracking additional, less-sensitive information (e.g., file length, degree to which a file has been changed) paired with customized tracking on a per-project and per-user basis may provide enough information that monitoring more-sensitive information like communications between collaborators is unnecessary. Further research is necessary to determine whether this is the case.

### **Future Work**

One of the many dangers of remote work is loss of motivation. In co-located work, the presence of others has a large and

important impact on teammates motivation [31]. We believe AmbiTeam was able to capture some of the motivational presence of others in remote work using an ambient display. In future work, we will explore other ways in which ambient displays can increase motivation.

Although tracking file activity allows us to gain some measure of effort, it does not encompass many important steps of work (thinking, discussing etc.). Future work can explore the use of different metrics for providing team awareness, such as the amount of progress on given tasks. In addition, future work can also explore long term effects of systems like AmbiTeam to determine whether the immediate increase in productivity due to being watched decreases over long periods of time and see if tensions arise due to the limited display of team member’s contributions.

We evaluated AmbiTeam with collaborations of academic researchers who, while pursuing different research questions, had similar workflows. It is likely that all knowledge workers (workers who apply knowledge acquired through formal training to develop services and products [13]) can benefit from a system like AmbiTeam given that they generally have high amounts of screen time. However, it is less clear whether ambient displays work for all types of workers, including those whose jobs are very different from that of a knowledge worker (e.g., service work). In organizations with a clear hierarchy, does the role of the user affect the usefulness of AmbiTeam? Are there types of ambient data from a CEO that would motivate workers? For this reason, future work includes exploring the use of AmbiTeam in a variety of contexts of work.

It is also unclear how well ambient displays work for providing activity information in large teams. Our assessment of AmbiTeam was with small teams of 2-4 people. How well will a system like AmbiTeam work for an entire organization? Given that organizations are frequently divided into smaller teams, is there even a need for systems like AmbiTeam to work with large collaborations?

Many collaborations are highly temporally dispersed, sometimes operating across extreme time zone differences. In these situations, such as with a 12 hour time zone difference, people aren’t working at the same time. Can we still effectively summarize progress from their work? Is the provision of activity information about a coworker who is not working at the same time still motivating?

### **CONCLUSION**

In this paper, we described and evaluated a system, AmbiTeam, meant to assist researchers experiencing the problem of perceived prioritization. We found that, despite shortcomings with regards to activity tracking, AmbiTeam had some effect on user’s perceptions of their collaborators’ effort as well as their motivation to work on their collaborative project. This work has implications for creating effective awareness-based technology for supporting collaborative work, particularly the recommendation that future awareness systems consider (a) using file activity to measure effort and (b) implementing ambient displays that do not interrupt the user’s workflow.

## ACKNOWLEDGEMENTS

We would like to thank Halle Parris for her assistance in developing AmbiTeam’s visualization.

## REFERENCES

- [1] Hamed S Alavi and Pierre Dillenbourg. 2010. Flag: an ambient awareness tool to support informal collaborative learning. In *Proceedings of the 16th ACM international conference on Supporting group work*. ACM, 315–316.
- [2] Liliana Ardissono and Gianni Bosio. 2012. Context-dependent awareness support in open collaboration environments. *User Modeling and User-Adapted Interaction* 22, 3 (2012), 223–254.
- [3] Luke Barrington, Michael J Lyons, Dominique Diegmann, and Shinji Abe. 2006. Ambient display using musical effects. In *Proceedings of the 11th international conference on Intelligent user interfaces*. ACM, 372–374.
- [4] Hugh Beyer and Karen Holtzblatt. 1998. *Contextual Design: Defining Customer-centered Systems*. Morgan Kaufmann Publishers Inc., San Francisco, CA, USA.
- [5] Sara A Bly, Steve R Harrison, and Susan Irwin. 1993. Media spaces: bringing people together in a video, audio, and computing environment. *Commun. ACM* 36, 1 (1993), 28–46.
- [6] Daniel Bodemer and Jessica Dehler. 2011. Group awareness in CSCL environments. *Computers in Human Behavior* 27, 3 (2011), 1043–1045.
- [7] Johanna Brewer, Amanda Williams, and Paul Dourish. 2007. A handle on what’s going on: combining tangible interfaces and ambient displays for collaborative groups. In *Proceedings of the 1st international conference on Tangible and embedded interaction*. ACM, 3–10.
- [8] Donald T Campbell. 1969. Ethnocentrism of disciplines and the fish-scale model of omniscience. *Interdisciplinary relationships in the social sciences* 328 (1969), 348.
- [9] EunKyung Chung, Nahyun Kwon, and Jungyeoun Lee. 2016. Understanding scientific collaboration in the research life cycle: Bio-and nanoscientists’ motivations, information-sharing and communication practices, and barriers to collaboration. *Journal of the association for information science and technology* 67, 8 (2016), 1836–1848.
- [10] Andrew Dahley, Craig Wisneski, and Hiroshi Ishii. 1998. Water lamp and pinwheels: ambient projection of digital information into architectural space. In *CHI 98 conference summary on Human factors in computing systems*. ACM, 269–270.
- [11] Massimo De Marchi, Jakob Eriksson, and Angus Graeme Forbes. 2015. TransitTrace: route planning using ambient displays. In *Proceedings of the 23rd SIGSPATIAL International Conference on Advances in Geographic Information Systems*. ACM, 67.
- [12] Paul Dourish and Victoria Bellotti. 1992. Awareness and coordination in shared workspaces. In *Proceedings of the 1992 ACM conference on Computer-supported cooperative work*. ACM, 107–114.
- [13] Peter Drucker. 1959. Landmarks of Tomorrow: A Report on the New" Post-Modern. *World* (1959).
- [14] Thomas Erickson, David N Smith, Wendy A Kellogg, Mark Laff, John T Richards, and Erin Bradner. 1999. Socially translucent systems: social proxies, persistent conversation, and the design of “babble”. *ACM*, 72–79.
- [15] Esri. 2020. ArcGIS Online. (2020). <https://www.arcgis.com/index.html>
- [16] William W Gaver, Abigail Sellen, Christian Heath, and Paul Luff. 1993. One is not enough: Multiple views in a media space. In *Proceedings of the INTERACT’93 and CHI’93 Conference on Human Factors in Computing Systems*. ACM, 335–341.
- [17] Ella Glikson, Anita Williams Wolley, Pranav Gupta, and Young Ji Kim. 2019. Visualized automatic feedback in virtual teams. *Frontiers in psychology* 10 (2019), 814.
- [18] Jeremy M Heiner, Scott E Hudson, and Kenichiro Tanaka. 1999. The information percolator: ambient information display in a decorative object. In *Proceedings of the 12th annual ACM symposium on User interface software and technology*. ACM, 141–148.
- [19] Florian Heller and Jan Borchers. 2011. PowerSocket: towards on-outlet power consumption visualization. In *CHI’11 extended abstracts on human factors in computing systems*. ACM, 1981–1986.
- [20] Zoom Video Communications Inc. 2020. Video Conferencing, Web Conferencing, Webinars, Screen Sharing. (2020). <https://zoom.us/>
- [21] Hiroshi Ishii, Craig Wisneski, Scott Brave, Andrew Dahley, Matt Gorbet, Brygg Ullmer, and Paul Yarin. 1998. ambientROOM: integrating ambient media with architectural space. In *CHI 98 conference summary on Human factors in computing systems*. ACM, 173–174.
- [22] Karin Kappel and Thomas Grechenig. 2009. Show-me: water consumption at a glance to promote water conservation in the shower. In *Proceedings of the 4th international conference on persuasive technology*. ACM, 26.
- [23] Jonathan Lazar, Jinjuan Heidi Feng, and Harry Hochheiser. 2010. *Research Methods in Human-Computer Interaction*. Wiley Publishing.
- [24] Gustavo López and Luis A Guerrero. 2014. Notifications for Collaborative Documents Editing. *Springer*, 80–87.
- [25] Gustavo Lopez and Luis A. Guerrero. 2017. Awareness Supporting Technologies Used in Collaborative Systems: A Systematic Literature Review. In *Proceedings of the 2017 ACM Conference on Computer Supported Cooperative Work and Social Computing (CSCW ’17)*. ACM, New York, NY, USA, 808–820. DOI: <http://dx.doi.org/10.1145/2998181.2998281>

- [26] Marilyn M Mantei, Ronald M Baecker, Abigail J Sellen, William AS Buxton, Thomas Milligan, and Barry Wellman. 1991. Experiences in the use of a media space. *ACM*, 203–208.
- [27] Mitsuru Minakuchi and Satoshi Nakamura. 2007. Collaborative ambient systems by blow displays. In *Proceedings of the 1st international conference on Tangible and embedded interaction*. ACM, 105–108.
- [28] Sarah Morrison-Smith, Christina Boucher, Andrea Bunt, and Jaime Ruiz. 2015. Elucidating the role and use of bioinformatics software in life science research. In *Proceedings of the 2015 British HCI Conference*. ACM, 230–238.
- [29] Valentina Occhialini, Harm Van Essen, and Berry Eggen. 2011. Design and evaluation of an ambient display to support time management during meetings. In *IFIP Conference on Human-Computer Interaction*. Springer, 263–280.
- [30] Karin Olesen and Michael D Myers. 1999. Trying to improve communication and collaboration with information technology: an action research project which failed. *Information Technology & People* 12, 4 (1999), 317–332.
- [31] Judith S Olson and Gary M Olson. 2006. Bridging Distance: Empirical studies of distributed teams. *Human-Computer Interaction in Management Information Systems 2* (2006), 27–30.
- [32] Benoit Otjacques, Rod McCall, and Fernand Feltz. 2006. An ambient workplace for raising awareness of internet-based cooperation. *Cooperative design, visualization, and engineering* (2006), 275–286.
- [33] Marcela D Rodríguez, Rubén R Roa, Jorge E Ibarra, and Cecilia M Curlango. 2014. In-car ambient displays for safety driving gamification. In *Proceedings of the 5th Mexican Conference on Human-Computer Interaction*. ACM, 26.
- [34] Xiaobin Shen and Peter Eades. 2005. Using MoneyColor to represent financial data. In *proceedings of the 2005 Asia-Pacific symposium on Information visualisation-Volume 45*. Australian Computer Society, Inc., 125–129.
- [35] Sara Streng, Karsten Stegmann, Heinrich Hußmann, and Frank Fischer. 2009. Metaphor or diagram?: comparing different representations for group mirrors. In *Proceedings of the 21st Annual Conference of the Australian Computer-Human Interaction Special Interest Group: Design: Open 24/7*. ACM, 249–256.
- [36] Google Brain Team. TensorFlow. (????). <https://www.tensorflow.org/>
- [37] Reto Wettach, Christian Behrens, Adam Danielsson, and Thomas Ness. 2007. A thermal information display for mobile applications. In *Proceedings of the 9th international conference on Human computer interaction with mobile devices and services*. ACM, 182–185.